Subject Index to Volume 66

A

Acetazolamide
effects on carbonic anhydrase role in regulation of acid-base balance of CSF, 1009–1012
Acetylcholine
effects on membrane electrical properties of adrenal chromaffin cells, 934–936
role in mediation of stress-induced analgesia, 1105–1106
Acid-base equilibrium
acid-base status, effects of changes on inorganic phosphate reabsorption in renal tubules, 58–61
of CSF, brain role in regulation of, 975–987
ammonia, 981–983
brain amino acids, 983–987
brain cellular buffering and brain CO_2 dissociation curve, 976–979
lactate, 979–981
organic acid production, 975–976
P_{CO_2}, 975
of CSF, effects of ion transport inhibitors on, 993–1012
anion exchange (studies with DIDS and SITS), 1001–1005
carbonic anhydrase (studies with acetazolamide), 1009–1012
Na^+-coupled Cl^- transport (studies with furosemide and bumetanide), 996–1001
Na^+-H^+ exchange (studies with amiloride), 994–996
Na^+-K^+-ATPase (studies with ouabain), 1006–1008
of CSF in systemic acid-base disorders, 1012–1023
metabolic acidosis and alkalosis, 1019–1024
respiratory acidosis, 1013–1016
respiratory alkalosis, 1016–1019
of CSF, mechanisms of regulation of, 968–975
chloride's importance to CSF SID, 974–975
CSF P_{CO_2}, 969–970
strong-ion difference (SID), 972–974
theories of regulation of CSF $[HCO_3^-]$ and $[H^+]$, 970–972
of CSF, regulation of, 953–1037
brain role, 975–987
ion transport, 987–993
mechanisms, 968–975
of CSF, relevance to central respiratory drive, 1024–1026
Acid-base imbalance
systemic acid-base disorders, CSF acid-base balance in, 1012–1023
metabolic acidosis and alkalosis, 1019–1024
respiratory acidosis, 1013–1016
respiratory alkalosis, 1016–1019
Action potentials
initiation in olfactory receptor neurons, 789–793
of pars intermedia cells of anterior pituitary, ionic mechanism of, 924–925
Adenohypophysis: *see* Pituitary gland, anterior
Adenoma
human pituitary adenoma cells, electrophysiology of, 919–920
Adenosine 3′,5′-cyclic monophosphate
generation in neural tissue, effects of adrenal steroids on, 1154–1155
generation of, as mechanism of hormonal action on kidney, 383
mediation of hormonal effects on distal convoluted tubules, 430–431
mediation of hormonal effects on kidney collecting tubules, 446–452
actions of calcitonin, β-adrenergic agents, and glucagon, 447–449
modulation of antidiuretic action of vasopressin, 449–452
physiological action of antidiuretic hormone, 446–447
mediation of hormonal effects on thick ascending limbs of kidney tubules, 419–427
in microperfused rabbit thick limbs, 419–420

Adenosine 3',5'-cyclic monophosphate (*continued*)
mechanism of hormone action via cAMP in thick limbs, 424–427
micropuncture study of hormone effects on rat thick limbs, 422–424
vasopressin effects in microperfused mouse thick limbs, 420–422
Adenosine triphosphatase
fast skeletal, slow skeletal, and ventricular myosin ATPase, 719–720
myosin ATPase changes during development, 726–727
Adenosine triphosphatase, sodium, potassium
concentration in skeletal muscle, quantitative changes in, 543–554
changes during differentiation and development of muscle cells, 548–550
distribution along nephron, effects of hormones on, 388–389
effects of denervation and muscle activity, 550–552
effects of K^+ depletion, 552–554
effects of thyroid hormones, 554
localization and quantification, 543–547
relation to rate of active Na^+-K^+ transport, 547–548
role in CSF formation and ion fluxes, effects of ouabain on, 1006–1008
Adenylate cyclase
coupling to β-adrenergic receptors, 819–854
association between functional units, 826–827
β_1- and β_2-subtypes, 824
chemical features of β-adrenoceptor, 824–826
densensitization and down regulation of β-adrenergic receptors, 845–849
early and current binding experiments, 822–826
future studies, 850
interaction of β-adrenergic receptors with G_i, 840–844
role of membrane matrix and lateral mobility, 844–845
hormonal stimulation of, 827–840
catalytic role of receptor and "collision coupling," 832–834
current views, 828–829
early mechanistic experiments, 827–828
G_s shuttle models, 834–835
G_s subunit dissociation model, 838–840
GDP release, 832
measuring reactions, 829–831
molecular models, 835–838
partial agonism and off reaction, 831–832
hormonally regulated adenylate cyclase system, 820–822
structure of, 820–821
universality of system, 821–822
hormone-sensitive activity, distribution along nephron, 384–385
in thick limbs of kidney tubules, hormonal control of, 416–419
Adrenal cortex hormones
see also Aldosterone; Glucocorticoids
actions on distal convoluted tubules in rabbit, 431–432
actions on kidney collecting tubules, 437–446
molecular basis of steroid action, 437–438
actions on neuroendocrine function and behavior, 1162–1174
effects of adrenalectomy and hormone replacement on learning, performance, and retention, 1168–1170
effects on learning, performance, and retention of behavior, 1166–1168
effects on salt appetite, 1166
feedback regulation of pituitary-adrenal function, 1162–1164
glucocorticoids and acquired immobility, 1172–1173
glucocorticoids and cell loss, 1164–1165
glucocorticoids and kindling of evoked seizures, 1173–1174
pathological consequences of corticosterone hypersecretion, 1165–1166
specific effect of corticosterone in exploratory behavior, 1170–1172
actions on thick ascending limbs of kidney tubules, 427–428
binding in vitro to soluble receptor sites, 1125–1130
neurochemical and cellular actions of, 1146–1162
effects on amino acids, 1147–1148
effects on catecholamines, 1150–1154
effects on cyclic AMP generation, 1154–1155
effects on neuropeptides, 1156–1159
effects on ornithine decarboxylase, 1160–1162
effects on phosphoproteins, 1156

effects on RNA and protein synthesis, 1147
effects on serotonin, 1148–1150
regulation of glucocorticoid receptors, 1141–1143
uptake by brain in study of adrenal steroid receptors, 1123–1125
Adrenal medulla
chromaffin cells of, electrophysiological properties, 929–939
Ca^{2+} channel, 933
calcium and hormone release, 937–939
K^+ channel, 933–934
membrane resistance and capacitance, 930–931
membrane response to acetylcholine, 934–936
Na^+ channel, 931–932
resting membrane potential, 930
Adrenal steroids: *see* Adrenal cortex hormones
Adrenalectomy
and hormone replacement, effects on learning, performance, and retention, 1168–1170
Adrenergic agents: *see* Sympathomimetics
β-Adrenergic receptor agonists
action on kidney collecting tubules, 447–449
β-Adrenergic receptors: *see* Receptors, β-adrenergic
Aerosols
hygroscopic aerosol deposition in airways, determining factors, 330–376
deposition of stable particles, 333–336
hygroscopic particle deposition: general considerations, 336–339
modern studies and models of hygroscopic particle deposition, 362–370
role of temperature and relative humidity in respiratory system, 349–362
hygroscopic particle growth, 339–349
development of theoretical bases, 339–342
studies of, 342–349
Afferent neurons: *see* Neurons, afferent
Afferent pathways
see also Olfactory pathways: Visual pathways
of superior colliculus in primates, 120–123
deep layers, 122–123
superficial layers, 120–121
Aging
effects on cell survival, multiplication, and expression of differentiated function, 12–13
effects on muscle proteins, 729
glucocorticoid receptor changes with senescence, 1140–1141
Airways: *see* Respiratory system
Aldosterone
control of urinary acidification, 445–446
effects on Na^+ and K^+ transport in kidney collecting tubules, 438–441
mechanism of action on, 441–445
effects on skeletal muscle, 571–572
AMH: *see* Anti-Müllerian hormone
Amiloride
effects on Na^+-H^+ exchange in CSF, 994–996
Amino acids
composition of testicular anti-Müllerian hormone, 1066–1067
in brain, role in regulation of acid-base balance of CSF, 983–987
neurochemical functions of, effects of adrenal steroids on, 1147–1148
γ-Aminobutyric acid: *see* GABA
Ammonia
ammoniagenesis by proximal kidney tubules, 394–395
in brain, role in regulation of acid-base balance of CSF, 981–983
Analgesia, stress-induced
adaptive pain suppression, 1091–1120
functional role of, 1107–1110
in humans, 1110–1112
is "stress" necessary? 1112–1114
parameters of, 1092–1099
conditioning and control, 1097–1099
induction of SIA: intensity, duration, and temporal aspects, 1092–1094
measurement of SIA, 1094–1097
physiological substrates of, 1099–1107
anatomic substrates, 1106–1107
neuropeptides and SIA, 1099–1103
neurotransmitters, 1104–1106
role of acetylcholine, norepinephrine, and GABA, 1105–1106
role of dopamine, 1104–1105
role of opioids, 1099–1103
role of serotonin, 1104
role of vasopressin, 1103

Antibodies, monoclonal
against anti-Müllerian hormone, 1068–1071
hybridomas against partially purified AMH, 1068–1070
hybridomas against purified AMH, 1070–1071
Antibodies, polyclonal
against anti-Müllerian hormone, 1071–1072
Antigen receptors, T-cell: *see* Receptors, antigen, T-cell
Antigens
see also H-Y antigen
antigen-specific T-cell lines and their products, nature and function of, 653–709
Anti-Müllerian hormone (AMH)
see also Müllerian ducts
and dephosphorylation hypothesis, 1078–1079
critical period of sensitivity of Müllerian ducts to, 1072–1073
effects of Müllerian ducts, modulation of response, 1076–1078
AMH agonists, 1077–1078
antagonists of chick ovarian AMH, 1077
antagonists of testicular AMH, 1076–1077
extra-Müllerian effects of, 1082–1086
genital cancer, 1084–1086
testicular development and descent, 1083–1084
glycoprotein nature of, 1057–1060
evidence in favor of, 1057–1058
lectin affinity, 1058–1060
in freemartins, 1080–1082
effect of AMH on fetal ovary, 1082
range of anti-Müllerian activity, 1080–1082
monoclonal antibodies against, 1068–1071
hybridomas against partially purified AMH, 1068–1070
hybridomas against purified AMH, 1070–1071
polyclonal antibodies against, 1071–1072
purification of, 1060–1064
ovarian AMH, 1064
testicular AMH, 1060–1064
source and ontogeny of, 1047–1057
ontogeny of AMH production by testis, 1050–1053
ovarian AMH, 1056–1057
Sertoli cell cultures, 1053–1055
Sertoli cell origin, 1047–1050
structure of testicular AMH, 1065–1068
polymers and microheterogeneity, 1065–1066
species differences, 1067–1068
sugar and amino acid composition, 1066–1067
study of, methodology, 1039–1047
bioassay, 1042–1045
immunocytochemistry, 1047
radioimmunoassay, 1045–1047
ATPase, sodium, potassium: *see* Adenosine triphosphatase, sodium, potassium
Attention
attention hypothesis of superior colliculus function in saccadic eye movements, 150–155
collicular involvement in specifying precise saccade metrics, 152–155
shift of attention, 150–151
Autonomic nervous system
influence on function of choroid plexus, 960–961
Axons
sprouting of, effects of glucocorticoids on, 1160

B

Behavior
see also Feeding behavior
acquired immobility, effects of glucocorticoids on, 1172–1173
exploratory behavior, specific effect of corticosterone on, 1170–1172
retention of behavior, effects of glucocorticoids on, 1166–1168
Bicarbonates
in CSF, theories of regulation of, 970–972
reabsorption by proximal kidney tubules, action of parathyroid hormone on, 400–401
transport by proximal kidney tubules, 391–393
Biological assay
in study of anti-Müllerian hormone, 1042–1045
Biological transport
inorganic phosphate transport in kidney, cellular mechanisms of, 36–70
Blood-brain barrier
anatomy and physiology of, 957–958
Blood chemical analysis
ionic composition in comparison with CSF, 966–968

Body temperature
effects on CSF formation, 964
Body temperature regulation
homeothermic thermoregulation, central and peripheral thermal control of effectors in, 235–300
homeothermic thermoregulation, concepts of, 277–287
modalities and characteristics of temperature sensors, 283–284
models of hypothalamic temperature regulation, 278–279
Q_{10} problem, 280–281
sensory and nonsensory components in thermal control of thermoregulatory effectors, 284–287
set-point problem, 279–280
temperature dependence of temperature-signal transmission, 281–282
homeothermic thermoregulation, general properties of active system in, 237–243
input-output coupling, 239–243
thermal inputs, 237–239
neuronal thermoresponsiveness, 262–277
hypothalamic neuronal thermoresponsiveness in situ, 273–274
hypothalamic neuronal thermoresponsiveness in vitro, 274
in brain stem structures, characterization of, 272–276
mechanisms of thermoreceptive temperature transduction, 263–266
of spinal cord, 276–277
peripheral, 262–263
processing of information from peripheral temperature sensors, 266–272
significance of thermal characteristics of thermoresponsive brain stem neurons, 274–276
thermosensory functions, quantitative assessment of, 243–261
effector sensitivities to specified thermal inputs, 247–259
evaluation of effector thermosensitivities, 243–247
total-body thermosensitivity in relation to local thermosensitivities, 259–261
Body weight
see also Obesity
responses to chronic administration of opiate antagonists, 218–219
Bone cells
see also Osteoblasts; Osteoclasts
proliferation, differentiation, and hormonal regulation of, 855–886
Brain
see also Cerebral cortex; Hippocampus; Hypothalamus; Superior colliculus
capillaries of, 958–959
glucocorticoid receptors in, changes in number during life span, 1138–1141
brain mechanisms in maturation of negative feedback, 1139–1140
influences of social setting on receptor levels, 1140
perinatal maturation, 1138–1139
perinatal maturation of pituitary CBG, 1139
receptor changes with senescence, 1140–1141
neurochemical and cellular actions of adrenal steroids on, 1146–1162
effects on amino acids, 1147–1148
effects on catecholamines, 1150–1154
effects on cyclic AMP generation, 1154–1155
effects on neuropeptides, 1156–1159
effects on ornithine decarboxylase, 1160–1162
effects on phosphoproteins, 1156
effects on RNA and protein synthesis, 1147
effects on serotonin, 1148–1150
glucocorticoid effects on axonal sprouting, 1160
glucocorticoid effects on glial cells, 1159–1160
role in regulation of CSF acid-base balance, 975–987
ammonia, 981–983
brain amino acids, 983–987
brain cellular buffering and brain CO_2 dissociation curve, 976–979
lactate, 979–981
organic acid production, 975–976
P_{CO_2}, 975
uptake of radiolabeled adrenal steroids, 1123–1125
Brain stem
neuronal thermoresponsiveness of, characterization of, 272–276
significance of thermal characteristics of brain stem neurons, 274–276

Brain stem (*continued*)
sections of, sensitivities to specified thermal inputs, 251–252
temperature signal processing in, 269–272
Brush border: *see* Microvilli
Bumetanide
effects on Na^+-coupled Cl^- transport in CSF, 996–1001

C

Calcitonin
action on kidney collecting tubules, 447–449
calcitonin-secreting cells, 928–929
effects of secretagogues on, 929
electrophysiological properties, 928–929
role in regulation of osteoclast formation, 873–874
Calcitriol
role in regulation of osteoclast formation, 875–876
role in regulation of proliferation and differentiation of osteoblastic cells, 877–878
Calcium
Ca^{2+} mobilization in kidneys, mechanism for action of hormones on kidneys, 385–386
cytosolic Ca^{2+} concentration in adrenal chromaffin cells in relation to calcium and hormone release, 937
cytosolic Ca^{2+} concentration in islands of Langerhans in relation to electrical activity, 896–899
cytosolic Ca^{2+} concentration in pars distalis cells of anterior pituitary, effects of TRH on, 915–916
release from adrenal chromaffin cells, 937–939
Ca^{2+} entry and regulation of hormone release, 937–938
cytosolic Ca^{2+} concentration, 937
effects of calmodulin antagonist, 938–939
Calcium channels: *see* Ion channels
Calmodulin
antagonists of, effects on calcium and hormone release from adrenal chromaffin cells, 938–939
Carbohydrates
metabolism in kidney, 470–483
gluconeogenesis, 475–483
glycolysis and glucose oxidation, 470–475
sugar composition of testicular anti-Müllerian hormone, 1066–1067
Carbon dioxide
see also Hypercapnia
brain P_{CO_2}, role in regulation of acid-base balance of CSF, 975
CO_2 dissociation curve brain and role in regulation of acid-base balance of CSF, 976–979
P_{CO_2} in regulation of acid-base balance of CSF, 969–970
Carbon tetrachloride
growth reaction of liver to, 511
Carbonic anhydrase
role in regulation of acid-base balance of CSF, effects of acetazolamide on, 1009–1012
Catecholamines
effects on proximal kidney tubules, 409–411
effects on skeletal muscle, 565–671
effects on membrane potential, 567–568
effects on Na^+-K^+ distribution and Na^+-K^+ transport, 565–567
mechanisms of action, 568–569
regulatory significance, 570–571
neurochemical functions of, effects of adrenal steroids on, 1150–1154
dopamine, 1153
neurotransmitter phenotype and glucocorticoids, 1153–1154
phenylethanolamine *N*-methyltransferase, 1152–1153
tyrosine hydroxylase, 1151–1152
CBG: *see* Transcortin
Cell cycle
see also Cell division
cellular nutrition and, 5–9
Cell division
see also Meiosis; Mitosis
nutritional requirements for, 4–13
Cell line
antigen-specific T-cell lines and their products, nature and function of, 653–709
T-cell continuous lines, 672–686
clones of antigen-proliferating T cells, 673–679
helper T-cell continuous lines, 679–683
suppressor T-cell lines, 683–685
T-cell lines mediating delayed-type hypersensitivity, 685–686
(T,G)-A—L-specific hybrid and continuous T-cell lines, 686–695
enrichment of helper T-cell activity, 687
helper activity of (T,G)-A—L-specific hybridomas and continuous lines, 689–690

Brain stem (*continued*)
partial purification and characterization of E-9M(+)-derived factor, 693–694
proliferative line, 695
properties of helper and suppressor antigen-specific T-cell replacing factors, 691–693
R-9 and E-9M(+) T-cell helper lines, 687–689
suppressor activity of (T,G)-A—L-specific R-11 suppressor hybridoma, 690–691
virus-transformed antigen-specific functional lines, 671–672
Cell nutrition
interactions of hormones, growth factors, and nutrients in, 17–24
effects of nutrient status on autocrine factor production, 23–24
nutrients as informational molecules, 17–20
mechanisms of, 1–35
assays for expression of differentiated function, 3
assays for nutritional requirements of isolated cells, 2–3
nutrient metabolism, effects of hormones and growth factors on, 21–23
nutrient metabolism, mechanisms of, 13–17
excretion, 16–17
storage, 15–16
uptake, 13–15
nutritional requirements, control by hormones and growth factors, 20–21
nutritional requirements for cell survival, multiplication, and expression of differentiated function, 4–13
effects of aging, 12–13
effects of cell density, 10–11
effects of malnutrition, 12
interactions among multiple cell types in mixed populations, 11–12
nutrient requirements, 4–5
nutrition and cell cycle, 5–9
principles of, 3–4
Cell survival
nutritional requirements for, 4–13
Central nervous system
see also Brain; Spinal cord
cholecystokinin localization in, 176–178
endogenous concentrations of endorphins associated with feeding, 206–209, 210–211, 213
effects of morphine on, 215
role in effects of cholecystokinin on feeding, 181–189
study in other species, 188–189
study in rodents, 181–184
study in sheep, 184–188
Cerebral cortex
combined cortical and superior collicular lesions in study of saccadic eye movements in primates, 145–146
Cerebrospinal fluid
acid-base balance of, brain role in regulation of, 975–987
ammonia, 981–983
brain amino acids, 983–987
brain cellular buffering and brain CO_2 dissociation curve, 976–979
lactate, 979–981
organic acid production, 975–976
P_{CO_2}, 975
acid-base balance of, effects of ion transport inhibitors, 993–1012
anion exchange (studies with DIDS and SITS), 1001–1005
carbonic anhydrase (studies with acetazolamide), 1009–1012
Na^+-coupled Cl^- transport (studies with furosemide and bumetanide), 996–1001
Na^+-H^+ exchange (studies with amiloride), 994–996
Na^+-K^+-ATPase (studies with ouabain), 1006–1008
acid-base balance of, in systemic acid-base disorders, 1012–1023
metabolic acidosis and alkalosis, 1019–1024
respiratory acidosis, 1013–1016
respiratory alkalosis, 1016–1019
acid-base balance of, mechanisms of regulation of, 968–975
chloride's importance to CSF SID, 974–975
CSF P_{CO_2}, 969–970
strong-ion difference (SID), 972–974
theories of regulation of CSF $[HCO_3^-]$ and $[H^+]$, 970–972
acid-base balance of, regulation of, 953–1037
brain role, 975–987
ion transport, 987–993
mechanisms, 968–975
acid-base balance of, relevance to central respiratory drive, 1024–1026
anatomy and physiology of, 954–966
brain capillaries, 958–959
choroid plexus, 959–961

Cerebrospinal fluid (*continued*)
formation of, 961–966
effects of cholera toxin, 965
effects of hypercapnia, 963–964
effects of metabolic acid-base changes, 965
effects of osmolality, 964–965
effects of temperature, 964
methods for measurement of, 961–963
nascent CSF, 965–966
ion transport in, 987–993
blood to CSF flux, 989–992
choroid plexus flux, 993
models of, 988–989
transependymal flux, 992–993
ionic composition in comparison with blood, 966–968
normal values for, 956–957
Chalones
liver chalones in liver growth control, 511–521
G_1 chalone, 515–520
G_2 chalone, 520
liver chalones and cancer, 520–521
potential pitfalls in experimental methods, 513–515
Chlorides
see also Sodium chloride
Cl^- importance in regulation of CSF acid-base balance, 974–975
transport in kidney collecting tubules, 433–435
Cholecystokinin
effects on feeding, 181–201
central nervous system mechanisms, 181–189
feeding responses to exogenous administration of CCK, 193–201
gastrointestinal responses to CCK administration, 192–193
peripheral mechanisms, 189–201
localization of, 176–181
central nervous system, 176–178
gastrointestinal tract, 178–179
peripheral nervous system, 179–180
plasma, 180–181
role in control of food intake, 172–234
future applications, 223–224
interaction with opioid peptides in, 221–223
structure of, 174–176
Cholera toxin
effects on CSF formation, 965
Cholinergic agents: *see* Parasympathomimetics
Choroid plexus
anatomy and physiology of, 959–961
autonomic nervous system influence, 960–961
Chromaffin system
adrenal chromaffin cells, electrophysiological properties of, 929–939
Ca^{2+} channel, 933
calcium and hormone release, 937–939
K^+ channel, 933–934
membrane resistance and capacitance, 930–931
membrane response to acetylcholine, 934–936
Na^+ channel, 931–932
resting membrane potential, 930
Conditioning
role in stress-induced analgesia, 1097–1099
Corticosteroid binding globulin: *see* Transcortin
Corticosteroid receptors: *see* Receptors, glucocorticoid
Corticosteroids: *see* Adrenal cortex hormones
Corticosterone
hypersecretion causing pathological changes in hippocampal neurons, 1165–1166
specific effect in exploratory behavior, 1170–1172
CSF: *see* Cerebrospinal fluid
Cyclic AMP: *see* Adenosine cyclic monophosphate

D

Delayed-type hypersensitivity: *see* Hypersensitivity, delayed
Diet
factors in regulation of liver growth, 533
inorganic phosphate in, effect on phosphate reabsorption in renal tubules, 61–62
1α,25-Dihydroxyvitamin D_3: *see* Calcitriol
DNA
premeiotic DNA synthesis during differentiation of mammalian ovary, 95–97
Dopamine
effects on electrical activity of pars intermedia cells of anterior pituitary, 926
role in mediation of stress-induced analgesia, 1104–1105

Drosophila
genetics of ion channels in, 306–320
anesthetic-sensitive phenotype, 306–307
conditional mutants, 306
development of ion currents in flight muscles, 308–309
Ether-a-go-go mutants: another locus affecting K^+ conductance, 316
genetic organization of Shaker locus, 314
molecular biology of Shaker locus, 314–316
mutants of Shaker locus, 310–314
ninaE locus--*Drosophila* rhodopsin, 320
Shaker defects in larval and adult neurons, 307
temperature-sensitive paralysis mutations, 316–319
other mutants affecting membrane excitability, 319–320
DTH: *see* Hypersensitivity, delayed
Dynorphin: *see* Endorphins

E

Efferent pathways
of superior colliculus in primates, 123–125
ascending projections from deep layers, 124
descending projections from deep layers, 124–125
projections from superficial layers, 123–124
Electrophysiology
of excitable endocrine cells, 887–952
adrenal chromaffin cells, 929–939
calcitonin-secreting cells, 928–929
pancreatic β-cells, 888–906
pars distalis cells of anterior pituitary, 906–922
pars intermedia cells of anterior pituitary, 924–928
pars tuberalis cells of anterior pituitary, 922–924
Endocrine glands
see also Adrenal medulla; Gonads; Islands of Langerhans; Pineal body; Pituitary-Adrenal system; Pituitary gland, anterior
excitable endocrine cells, electrophysiology of, 887–952
Endorphins
effects on feeding, 205–221
endogenous concentrations associated with feeding, 206–209, 210–211, 213
β-endorphin, 205–210
enkephalins, 210–213
responses to exogenous administration, 209–215
localization of, 203–205
β-endorphin, 203–204
enkephalins, 204–205
prodynorphin, 205
role in control of food intake, 172–234
future applications, 223–224
interaction with cholecystokinin in, 221–223
role in mediation of stress-induced analgesia, 1099–1103
structure of, 201–202
Enkephalins: *see* Endorphins
Evolution
origin of ion channels in, 303–304
Exertion
adaptation of muscle proteins during, 737–738
Eye movements, saccadic: *see* Saccades

F

Fatty acids
metabolism in kidney, 483–486
intrarenal distribution, 484–485
pathways and intracellular compartmentation, 483–484
regulation, 485–486
species differences and developmental aspects, 486
Feeding behavior
see also Food intake
effects of cholecystokinin on, 181–201
central nervous system mechanisms, 181–189
feeding responses to exogenous administration of CCK, 193–201
gastrointestinal responses to CCK administration, 192–193
peripheral mechanisms, 189–201
effects of endorphins on, 205–221
dynorphin, 213–215
endogenous concentrations associated with feeding, 206–209, 210–211, 213
β-endorphin, 205–210
enkephalins, 210–213
responses to exogenous administration, 209–210, 211–213, 213–215
effects of morphine on, 215–217
effects on endogenous concentrations of endorphins associated with feeding, 215

Feeding behavior (*continued*)
response to exogenous administration, 215–217
effects of opiate antagonists on, 217–221
effects on food intake, 217–218
food intake and body weight responses to chronic administration, 218–219
site of action, 220–221
use in obesity, 219–220
Food intake
see also Feeding behavior
control of, role of cholecystokinin and opioid peptides, 172–234
future applications, 223–224
interaction of cholecystokinin and opioid peptides in, 221–223
Fovea centralis
foveation hypothesis of superior colliculus function in saccadic eye movements, 148–150
Freemartinism
anti-Müllerian hormone in freemartins, 1080–1082
effect of AMH on fetal ovary, 1082
range of anti-Müllerian activity, 1080–1082
Furosemide
effects on Na^+-coupled Cl^- transport in CSF, 996–1001

G

GABA
effects on electrical activity of pars intermedia cells of anterior pituitary, 927
role in mediation of stress-induced analgesia, 1105–1106
Gastrointestinal hormones
electrophysiological effects on islands of Langerhans, 904–905
Gastrointestinal system
cholecystokinin localization in, 178–179
responses to cholecystokinin administration in studies of its effects on feeding, 192–193
Genes
contractile protein genes, 742–748
isogenes 743–746
regulation of gene expression, 747–748
Genetics
of ion channels, 301–329
Genital neoplasms, female
antineoplastic effects of anti-Müllerian hormone on, 1084–1086
Germ cells
see also Ovum; Spermatozoa
primordial germ cells, morphology of, 80–81
primordial germ cells, origin and migration of, 78–80
Glucagon
action on kidney collecting tubules, 447–449
electrophysiological effects on islands of Langerhans, 904–905
Glucocorticoids
see also Corticosterone; Receptors, glucocorticoid
effects on acquired immobility, 1172–1173
effects on axonal sprouting, 1160
effects on glial cells, 1159–1160
effects on kindling of evoked seizures, 1173–1174
effects on learning, performance, and retention of behavior, 1166–1168
effects on neurosecretory cells, 1164–1165
effects on proximal kidney tubules, 403–407
action on phosphate transport, 404–405
action on proximal acidification, 405–407
action on proximal metabolism, 407
Gluconeogenesis
by kidney, 475–483
intracellular compartmentation, 477
intrarenal distribution, 477–478
regulation, 478–481
species differences and developmental aspects, 481–483
by proximal kidney tubules, 394
Glucose
electrophysiological effects on islands of Langerhans, 889–896
plateau potential, 892–894
prepotential, 895–896
resting membrane potential, 891–892
spikes, 894–895
oxidation in kidney, 470–475
intracellular compartmentation, 471–472
intrarenal distribution, 472–474
regulation, 474–475
species differences and developmental aspects, 475
Glycolysis
in kidney, 470–475
intracellular compartmentation, 471–472
intrarenal distribution, 472–474
regulation, 474–475
species differences and developmental aspects, 475

Glycoproteins
nature of anti-Müllerian hormone, 1057–1060
evidence in favor of, 1057–1058
lectin affinity, 1058–1060
Gonads
see also Ovary; Testis
gonadal primordium, formation of, 75–82
interaction of cells contributing to gonadal formation, 81–82
morphology of primordial germ cells, 80–81
origin and migration of primordial germ cells, 78–80
theories of gonadal formation, 75–78
growth in relation to melatonin and different environmental conditions, 582–585
mammalian embryonic gonad, differentiation of, 71–117
differentiation of testis, 82–92
genetic models, 105–106
H-Y antigen, 104–105
inflexible mammalian sex, 72–75
theories of, 104–106
steroid hormone production in mammalian fetus, 102–104
Graafian follicle
formation in developing mammalian ovary, 100–101
Growth substances
control of cellular nutritional requirements, 20–21
effects on nutrient metabolism at cellular level, 21–23
liver-derived stimulatory factors and liver growth, 522–525
liver stimulatory factors from extrahepatic sources, 525–531
in vitro studies, 528–531
in vivo studies, 525–528
Guanosine diphosphate
release in hormonal stimulation of adenylate cyclase, 832

H

Head
whole head, sensitivity to specified thermal inputs, 251–252
Heart ventricle, right
anatomy of, 626–628
and pulmonary bed as functional unit, 639–648
consequences of matching for characteristics of right ventricle as pump, 646–648
matching between right ventricle and pulmonary arterial bed, 642–646
pressure and flow contours of right ventricle vs. load impedance, 639–642
function of, 625–639
contraction pattern, 628–631
force development and work generation in free wall, 631–632
general aspects, 625–626
methods for describing ventricle as pump, 632–639
pulmonary arterial impedance and function of, 606–652
Heat loss and production: *see* Body temperature regulation
Helper cells
helper activity of (T,G)-A—L-specific hybridomas and continuous lines, 689–690
helper antigen-specific T-cell replacing factors, properties of, 691–693
specificity of T-cell helper factors, 692–693
helper T-cell continuous lines, 679–683
helper T-cell hybridomas, 666–670
R-9 and E-9M(+) T-cell helper lines, 687–689
(T,G)-A—L-specific helper cells, 687
Hepatectomy
partial, growth reaction of liver to, 507–510
kinetic parameters, 508–509
modifying influences, 510
Hippocampus
corticosterone receptor capacity in, changes induced by lesions and neurotransmitters, 1144–1145
Hormones
see also Adrenal cortex hormones; Insulin; Parathyroid hormones; Pituitary hormones, anterior; Sex hormones; Thyroid hormones; Thyrotropin-releasing hormone
action on kidney, mechanisms, 382–389
distribution of hormone-sensitive adenylate cyclase along nephron, 384–385
distribution of Na^+-K^+-ATPase along nephron, 388–389
hormones acting via Ca^{2+} mobilization, 385–386

Hormones (*continued*)
hormones acting via cAMP generation, 383
hormones acting via induction of protein synthesis, 386–388
cAMP-mediated effects on kidney collecting tubules, 446–452
cAMP-mediated effects on thick ascending limbs of kidney tubules, 419–427
in microperfused rabbit thick limbs, 419–420
mechanism of hormone action via cAMP in thick limbs, 424–427
micropuncture study of hormone effects on rat thick limbs, 422–424
control of cellular nutritional requirements, 20–21
control of developmental changes in muscle proteins, 728–729
control of kidney functions at cell level, 377–468
effects on inorganic phosphate reabsorption in renal tubules, 62–63
effects on nutrient metabolism at cellular level, 21–23
hormonal stimulation of adenylate cyclase, 827–840
catalytic role of receptor and "collision coupling", 832–834
current views, 828–829
early mechanistic experiments, 827–828
G_s shuttle models, 834–835
G_s subunit dissociation model, 838–840
GDP release, 832
measuring reactions, 829–831
molecular models, 835–838
partial agonism and off reaction, 831–832
hormonally regulated adenylate cyclase system, 820–822
structure of, 820–821
universality of system, 821–822
hormone-dependent adenylate cyclase in thick limbs of kidney tubules, 416–419
neurohormones in pineal body of mammals, 591–593
steroid hormone production by gonads in mammalian fetuses, 102–104
production by ovary, 103–104
production by testis, 102–103
H-Y antigen
role in gonadal differentiation, 104–105
Hybridomas
against partially purified anti-Müllerian hormone, 1068–1070
against purified anti-Müllerian hormone, 1070–1071
functional T-cell hybridomas, 657–670
helper T-cell hybridomas, 666–670
suppressor T-cell hybridomas, 656–666
(T,G)-A—L-specific hybridomas, helper activity of, 689–690
(T,G)-A—L-specific R-11 suppressor hybridoma, suppressor activity of, 690–691
Hypercapnia
effects on CSF formation, 963–964
Hypersensitivity, delayed
DTH reactions, hybridomas secreting antigen-specific suppressor factors for, 662–666
mediation by T-cell lines, 685–686
Hypothalamus
hypothalamic temperature regulation, models of, 278–279
neuronal thermoresponsiveness of, 272–274
in situ, 273–274
in vitro, 274
sensitivity to specified thermal inputs, 247–250

I

Immunocytochemistry
in study of anti-Müllerian hormone, 1047
Indoles
in pineal body of mammals, 582–588
melatonin and gonadal growth under different environmental conditions, 582–585
regulation of indole metabolism, 585–588
Inorganic phosphates: *see* Phosphates, inorganic
Insulin
effects on skeletal muscle, 557–565
effects on membrane potential, 559–561
effects on Na^+-K^+ distribution and Na^+-K^+ transport, 557–559
mechanisms of action, 561–563
regulatory significance, 563–565
release from islands of Langerhans, relation to electrical activity, 888–906
cytosolic Ca^{2+} concentration, 896–899
effects of adrenergic agents, 905–906
effects of cholinergic agents, 904
effects of glucagon and other gastrointestinal hormones, 904–905
effects of glucose, 889–896

effects of hormones and neurotransmitters, 904–906
effects of somatostatin, 906
functional relationships, 896
stimulus recognition and intracellular coupling factors, 899–904
Ion channels
genetics of, 301–329
anesthetic-sensitive phenotype, 306–307
are ion channels built from repeated genetic units? 304–305
conditional mutants in *Drosophila*, 306
development of ion currents in *Drosophila* flight muscles, 308–309
Ether-a-go-go mutants: another locus affecting K^+ conductance, 316
genetic organization of Shaker locus, 314
molecular biology of Shaker locus, 314–316
mutants in *Paramecium* affecting ion channels, 321–323
mutants of Shaker locus, 310–314
ninaE locus—*Drosophila* rhodopsin, 320
origin of ion channels in evolution, 303–304
other *Drosophila* mutants affecting membrane excitability, 319–320
other mutants in *Paramecium* affecting membrane excitability, 323–324
permissible mutations of ion channels, 305–306
Shaker defects in larval and adult neurons, 307
temperature-sensitive paralysis mutations, 316–319
in adrenal chromaffin cells, 931–934
Ca^{2+} channel, 933
K^+ channel, 933–934
Na^+ channel, 931–932
in GH_3 and GH_4 cells of rat anterior pituitary gland, 907–912
Ca^{2+} channel, 908–910
K^+ channel, 911–912
Na^+ channel, 910–911
passive membrane properties, 907–908
Ions
ion transport in regulation of acid-base balance of CSF, 987–993
blood to CSF flux, 989–992
choroid plexus flux, 993
models of, 988–989
transependymal flux, 992–993
ion transport inhibitors, effects on acid-base balance of CSF, 993–1012
anion exchange (studies with DIDS and SITS), 1001–1005
carbonic anhydrase (studies with acetazolamide), 1009–1012
Na^+-coupled Cl^- transport (studies with furosemide and bumetanide), 996–1001
Na^+-H^+ exchange (studies with amiloride), 994–996
Na^+-K^+-ATPase (studies with ouabain), 1006–1008
ionic composition of CSF and blood, comparison of, 966–968
Islands of Langerhans
electrophysiology of, 888–906
cytosolic Ca^{2+} concentration, 896–899
effects of adrenergic agents, 905–906
effects of cholinergic agents, 904
effects of glucagon and other gastrointestinal hormones, 904–905
effects of glucose, 889–896
effects of hormones and neurotransmitters, 904–906
effects of somatostatin, 906
functional relationships between electrical activity and insulin release, 896
stimulus recognition and intracellular coupling factors, 899–904

K

Ketone bodies
metabolism in kidney, 487–490
intrarenal distribution, 488
pathways and intracellular compartmentation, 487–488
regulation, 488–489
species differences, 489–490
Kidney
see also Kidney tubules; Nephrons
basolateral membrane, phosphate transport in, 42–44
brush border membrane, sodium-phosphate cotransport in, 39–42
carbohydrate metabolism in, 470–483
gluconeogenesis, 475–483
glycolysis and glucose oxidation, 470–475
fatty acid and triacylglycerol metabolism in, 483–486
intrarenal distribution, 484–485
pathways and intracellular compartmentation, 483–484
regulation, 485–486

Kidney (*continued*)
species differences and developmental aspects, 486
functions at cell level, hormonal control of, 377–468
hormonal action on, mechanisms of, 382–389
distribution of hormone-sensitive adenylate cyclase along nephron, 384–385
distribution of Na^+-K^+-ATPase along nephron, 388–389
hormones acting via Ca^{2+} mobilization, 385–386
hormones acting via cAMP generation, 383
hormones acting via induction of protein synthesis, 386–388
inorganic phosphate transport in, cellular mechanisms of, 36–70
localization in tubules, 37
phosphate concentrations in different compartments, 37–38
ketone body metabolism in, 487–490
intrarenal distribution, 488
pathways and intracellular compartmentation, 487–488
regulation, 488–489
species differences, 489–490
phospholipid metabolism in, 487
sodium-phosphate cotransport in, regulation of, 45–53
adaptation, 52–53
allosteric regulation by sodium and protons, 46–49
covalent modifications, 50–51
substrate metabolism in, 469–497
transcellular phosphate transport in, membrane mechanisms involved in, 38–45
functional coupling between apical entry and basolateral exit of phosphate, 44–45
phosphate transport in basolateral membrane, 42–44
sodium-phosphate cotransport in brush border membrane, 39–42
transcellular phosphate transport in, reconstruction of individual events in regulation of, 53–63
acid-base status, 58–61
dietary effects, 61–62
other hormones, 62–63
parathyroid hormone, 54–58

Kidney tubules
cells of, general properties, 378–380
segmentation of nephron, 380–382
Kidney tubules, collecting
actions of calcitonin, β-adrenergic agents, and glucagon, 447–449
control by hormones acting via cAMP, 446–452
corticosteroid effects on, 437–446
control of urinary acidification by aldosterone, 445–446
effect of aldosterone on Na^+ and K^+ transport, 438–441
mechanism of aldosterone action on Na^+ and K^+ transport, 441–445
molecular basis of steroid action, 437–438
modulation of antidiuretic action of vasopressin, 449–452
physiological action of antidiuretic hormone, 446–447
physiological properties of, 432–437
general properties, 432–433
transport of Na^+, K^+, and Cl^-, 433–435
urinary acidification, 435–437
Kidney tubules, distal convoluted
cAMP-mediated hormonal effects on, 430–431
corticoid effects in rabbit, 431–432
organization and properties of, 428–432
anatomical segmentation, 428–429
physiological properties, 429–430
Kidney tubules, proximal
glucocorticoid action on, 403–407
action on phosphate transport, 404–405
action on proximal acidification, 405–407
action on proximal metabolism, 407
neuromediator action on, 409–411
parathyroid hormone action on, 395–403
action on bicarbonate reabsorption, 400–401
action on fluid reabsorption, 399–400
action on phosphate transport, 397–398
general mechanism of PTH action, 395–397
other effects, 401–403
physiological properties of, 389–395
ammoniagenesis, 394–395
bicarbonate transport, 391–393
gluconeogenesis, 394
isosmotic fluid reabsorption, 393–394
phosphate transport, 391
transport of organic solutes, 390
thyroid hormone action on, 407–409

Kidney tubules, thick ascending limb
cAMP-mediated hormonal effects on, 419–427
in microperfused rabbit thick limbs, 419–420
mechanism of hormone action via cAMP in thick limbs, 424–427
micropuncture study of hormone effects on rat thick limbs, 422–424
vasopressin effects in microperfused mouse thick limbs, 420–422
corticosteroid action on, 427–428
hormone-dependent adenylate cyclase in, 416–419
physiological properties of, 411–416

L

Lactates
in brain, role in regulation of acid-base balance of CSF, 979–981
Learning
effects of adrenalectomy and hormone replacement on, 1168–1170
effects of glucocorticoids on, 1166–1168
Lectins
affinity of anti-Müllerian hormone for, 1058–1060
Leydig cells
differentiation of, 90–92
Liver
chalones in growth control, 511–521
G_1 chalone, 515–520
G_2 chalone, 520
liver chalones and cancer, 520–521
potential pitfalls in experimental methods, 513–515
growth control by stimulation of cell proliferation, 521–531
liver-derived stimulatory factors, 522–525
stimulatory factors from extrahepatic sources, 525–531
growth of, regulation, 499–541
by stimulation of cell proliferation, 521–531
dietary factors, 533
liver chalones, 512–521
neural influences, 531–533
other regulators, 531–533
induced growth reactions in, 507–512
additive liver growth, 511–512
response to chemical necrogens, 511
response to partial hepatectomy, 507–510
organization of, 501–507
kinetic parameters in adult life, 505–507
morphological aspects, 501–502
postnatal growth, 503–505
Liver neoplasms
role of liver chalones in etiology of, 520–521
Lung diseases
pulmonary arterial impedance in, 618–620
T lymphocytes
antigen-specific T-cell lines and their products, nature and function of, 653–709
T-cell antigen receptors, progress in studies on nature of, 695–700
T-cell continuous lines, 672–686
clones of antigen-proliferating T cells, 673–679
helper T-cell continuous lines, 679–683
suppressor T-cell lines, 683–685
T-cell lines mediating delayed-type hypersensitivity, 685–686
(T,G)-A—L-specific hybrid and continuous T-cell lines, 686–695
enrichment of helper T-cell activity, 687
helper activity of (T,G)-A—L-specific hybridomas and continuous lines, 689–690
partial purification and characterization of E-9M(+)-derived factor, 693–694
proliferative line, 695
properties of helper and suppressor antigen-specific T-cell replacing factors, 691–693
R-9 and E-9M(+) T-cell helper lines, 687–689
suppressor activity of (T,G)-A—L-specific R-11 suppressor hybridoma, 690–691
T Lymphocytes, helper: *see* Helper cells
T Lymphocytes, suppressor: *see* Suppressor cells

M

Malnutrition: *see* Nutrition disorders
Mammals
embryonic gonad in, differentiation of, 71–117
differentiation of ovary, 92–102
differentiation of testis, 82–92
early steroid hormone production by gonads, 102–104
formation of gonadal primordium, 75–82

Mammals (*continued*)
inflexible mammalian sex, 72–75
theories of, 104–106
Meiosis
early regulation of, during testicular differentiation in mammals, 85–88
first meiotic prophase during differentiation of mammalian ovary, oocytes in, 97–99
initiation during differentiation of mammalian ovary, influence of mesonephric tissue, 99–100
premeiotic DNA synthesis during differentiation of mammalian ovary, 95–97
Melanocyte-stimulating hormones
secretion of, relation to electrical activity of pars intermedia cells of anterior pituitary, 926
Melatonin
influence on gonadal growth in mammals under different environmental conditions, 582–585
Membrane channels: *see* Ion channels
Membrane potentials
see also Action potentials
generator potentials of olfactory mucosa, 785–787
of adrenal chromaffin cells, effects of acetylcholine on, 934–936
of pancreatic β-cells, effects of glucose on, 889–896
plateau potential, 892–894
prepotential, 895–896
resting membrane potential, 891–892
spikes, 894–895
of skeletal muscle, effects of catecholamines on, 567–568
of skeletal muscle, effects of insulin on, 559–561
of skeletal muscle, effects of thyroid hormones on, 554–556
resting potential of adrenal chromaffin cells, 930
standing transmucosal potentials of olfactory mucosa, 784–785
Mesonephros
influence on differentiation of mammalian testis, 92
influence on regulation of meiosis in developing mammalian ovary, 99–100
Microvilli
brush-border membrane of kidney, sodium-phosphate cotransport in, 39–42
Models, biological
in study of functional adaptations of muscle proteins, 730–731
Models, genetic
in study of gonadal differentiation in mammals, 105–106
Morphine
effects on feeding, 215–217
effects on endogenous concentrations of endorphins associated with feeding, 215
response to exogenous administration, 215–217
Movement
acquired immobility, effects of glucocorticoids on, 1172–1173
MSH: *see* Melanocyte-stimulating hormone
Müllerian ducts
see also Anti-Müllerian hormone (AMH)
regression of, mechanism of, 1072–1076
biochemical and immunohistochemical studies, 1074–1075
critical period of sensitivity to AMH, 1072–1073
enzyme studies of nucleotide pyrophosphatase activity, 1075–1076
ultrastructural studies, 1073–1074
response to AMH, modulation of, 1076–1078
modulation of, 1076–1078
AMH agonists, 1077–1078
antagonists of chick ovarian AMH, 1077
antagonists of testicular AMH, 1076–1077
Muscle contraction
see also Myocardial contraction
effect on concentration of Na^+-K^+-ATPase in skeletal muscle, 550–552
posttranslational modification of muscle proteins in relation to contractility, 740–741
Muscle denervation
effect on concentration of Na^+-K^+-ATPase in skeletal muscle, 550–552
Muscle proteins
biosynthesis of, 741–742
developmental and functional adaptation of, 710–771
nomenclature and abbreviations used, 712

Muscle proteins (*continued*)
sources for study of, 713–714
techniques for study of, 714–716
developmental changes in, 724–730
aging, 729
myosin ATPase, 726–727
myosin heavy and light chains, 724–726
neural and hormonal control, 728–729
other contractile proteins, 727–728
functional adaptations of, 730–739
cardiac overload, 734–737
exercising, 737–738
fast skeletal muscle-to-slow skeletal muscle transformation, 731–733
models, 730–731
regeneration, 739
slow skeletal muscle-to-fast skeletal muscle transformation, 733–734
genes of, 742–748
gene expression at mRNA level, 746–747
isogenes, 743–746
regulation of gene expression, 747–748
main isoforms in adults, 716–724
fast skeletal isomyosins, 716–717
fast skeletal, slow skeletal, and ventricular myosin ATPase, 719–720
isomyosins, 716–720
other isoforms, 720–722
slow skeletal isomyosins, 717–718
species specificity, 722–724
ventricular and atrial isomyosins, 718–719
posttranslational modifications in relation to contractility, 740–741
Muscle, skeletal
active Na^+-K^+ transport in, regulation of, 542–580
effects of catecholamines, 565–567
effects of insulin, 557–559
effects of thyroid hormones, 554–556
regulatory significance of catecholamines, 570–571
regulatory significance of insulin, 563–565
regulatory significance of thyroid hormones, 556–557
relation to concentration of Na^+-K^+-ATPase, 547–548
contractile proteins in, developmental and functional adaptation of, 710–771
effects of aldosterone on, 571–572
effects of catecholamines on, 565–571
effects on membrane potential, 567–568
effects on Na^+-K^+ distribution and Na^+-K^+ transport, 565–567
mechanisms of action, 568–569
regulatory significance, 570–571
effects of insulin on, 557–565
effects on membrane potential, 559–561
effects on Na^+-K^+ distribution and Na^+-K^+ transport, 557–559
mechanisms of action, 561–563
regulatory significance, 563–565
effects of thyroid hormones on, 554–557
effects on Na^+-K^+-ATPase concentration, 554
effects on Na^+-K^+ distribution, Na^+-K^+ transport, and membrane potential, 554–556
regulatory significance, 556–557
K^+ depletion in, effects on concentration of Na^+-K^+-ATPase, 552–554
membrane potential of, effects of catecholamines on, 567–568
membrane potential of, effects of insulin on, 559–561
membrane potential of, effects of thyroid hormones on, 554–556
muscle cell differentiation and development, changes in concentration of Na^+-K^+-ATPase during, 548–550
Na^+-K^+-ATPase concentration in, quantitative changes in, 543–554
changes during differentiation and development of muscle cells, 548–550
effects of denervation and muscle activity, 550–552
effects of K^+ depletion, 552–554
localization and quantification, 543–547
relation to rate of active Na^+-K^+ transport, 547–548
Na^+-K^+ distribution in, effects of aldosterone, 571–572
Na^+-K^+ distribution in, effects of catecholamines on, 565–567
Na^+-K^+ distribution in, effects of insulin on, 557–559
Na^+-K^+ distribution in, effects of thyroid hormones, 554–556
Muscle, smooth, vascular
impedance and, 613–617
adrenergic and sympathetic effects, 616–617
general considerations, 613–614
nonadrenergic effects, 614–616

Mutation
conditional mutants in *Drosophila*, 306
mutants in *Paramecium* affecting ion channels, 321–323
calcium-channel mutants—*pawn* mutants, 321–322
dancer mutant, 322–323
microinjection of cytoplasm rescues *pawn* mutants, 322
potassium-channel mutants, 323
other *Drosophila* mutants affecting membrane excitability, 319–320
other mutants in *Paramecium* affecting membrane excitability, 323–324
permissible mutations of ion channels, 305–306
temperature-sensitive paralysis mutations in *Drosophila*, 316–319
no-action-potential mutant, 317–318
seizure and paralysis genes, 318–319
Myocardial contraction
right ventricular contraction pattern, 628–631
Myocardium
contractile proteins in, developmental and functional adaptation of, 710–771
Myosin: *see* Muscle proteins

N

Narcotic antagonists
effects on food intake, 217–221
food intake and body weight responses to chronic administration, 218–219
site of action, 220–221
use in obesity, 219–220
Neoplasms
growth of, pineal function in relation to, 595–597
Nephrons
segmentation of, 380–382
Neuroendocrine system: *see* Neurosecretory systems
Neuroglia
glucocorticoid effects on, 1159–1160
localization of adrenal steroid receptors in, 1136
Neurons
see also Axons; Neurons, afferent
neuronal thermoresponsiveness in temperature regulation, 262–277
hypothalamic neuronal thermoresponsiveness in situ, 273–274
hypothalamic neuronal thermoresponsiveness in vitro, 274
in brain stem structures, characterization of, 272–276
mechanisms of thermoreceptive temperature transduction, 263–266
of spinal cord, 276–277
peripheral neuronal thermoresponsiveness, 262–263
processing of information from peripheral temperature sensors, 266–272
significance of thermal characteristics of thermoresponsive brain stem neurons, 274–276
Neurons, afferent
olfactory receptor neurons in vertebrates, functional properties of, 772–818
action potentials, 789–793
active membrane properties, 793–796
generator potentials, 785–787
impulse initiation, 789–796
membrane characterization, 777–784
membrane properties of sustentacular cells, 788–789
passive membrane properties, 787–788
sensory transduction, 784–789
sensory transmission, 797–806
standing transmucosal potentials, 784–785
Neuropeptides: *see* Peptides
Neurophysins
in pineal body of mammals, 591–593
Neuroregulators
control of corticosterone receptor capacity in hippocampus, 1144–1145
role in mediation of stress-induced analgesia, 1104–1106
Neurosecretory systems
see also Pineal body
adrenal steroid actions on, 1162–1174
feedback regulation of pituitary-adrenal function, 1162–1164
glucocorticoids and cell loss, 1164–1165
pathological consequences of corticosterone hypersecretion, 1165–1166
Neurotransmitters: *see* Neuroregulators
Norepinephrine
role in mediation of stress-induced analgesia, 1105–1106

Nucleotide pyrophosphatase
activity in study of Müllerian duct regression, 1075–1076
Nutrition, cellular: *see* Cell nutrition
Nutrition disorders
effects on cell survival, multiplication, and expression of differentiated function, 12

O

Obesity
use of opiate antagonists in, 219–220
Olfactory mucosa
cellular organization of, 775–776
impulse initiation, 789–796
action potentials, 789–793
active membrane properties, 793–796
membrane characterization, 777–784
chemical modification of receptor neurons, 782–783
location of voltage-gated channels, 783–784
odorant receptor sites and associated channels, 778–782
prereceptor and receptor events, 777–778
sensory transduction, 784–789
generator potentials, 785–787
membrane properties of sustentacular cells, 788–789
passive membrane properties of olfactory receptor neurons, 787–788
standing transmucosal potentials, 784–785
sensory transmission, 797–806
adaptation and fatigue, 802–805
concentration-response functions, 798–802
fiber interactions, 805–806
spontaneous activity, 797–798
Olfactory nerve
cellular organization of, 776–777
Olfactory pathways
receptor neurons in vertebrates, functional properties of, 772–818
cellular organization of primary pathways, 775–777
Oocytes: *see* Ovum
Oogonia: *see* Ovum
Opiate antagonists: *see* Narcotic antagonists
Opioid peptides: *see* Endorphins
Ornithine decarboxylase
in brain, effects of adrenal steroids on, 1160–1162
Osmolar concentration
osmolality and CSF formation, 964–965
Osteoblasts
origin of, 865–868
precursor cells, 865–868
proliferation and differentiation of, regulation, 876–879
role of calcitriol, 877–878
role of parathyroid hormone, 876–877
role of prostaglandins, 878–879
Osteoclasts
formation of, regulation, 868–876
general, 868–871
osteoclast precursors, 870
osteoclast progenitors, 870
postosteoclasts, 870–871
role of calcitonin, 873–874
role of calcitriol, 875–876
role of parathyroid hormone, 871–873
origin of, 856–862
precursor cells, 862–865
Ouabain
effects of Na^+-K^+-ATPase role in CSF formation and ion fluxes, 1006–1008
Ovary
anti-Müllerian hormone in, 1056–1057
ontogeny of AMH production, 1056–1057
purification of, 1064
source of hormone, 1056
anti-Müllerian hormone in chicks, antagonists of, 1077
differentiation in mammals, 92–102
early hormone-producing ovary cells, 101–102
formation of follicles, 100–101
oocytes in first meiotic prophase, 97–99
oogonia and premeiotic DNA synthesis, 95–97
recognition of developing ovary, 93–95
regulation of initiation of meiosis: influence of mesonephric tissue, 99–100
hormone production in mammalian fetus, 103–104
in freemartin fetus, effect of anti-Müllerian hormone on, 1082
Ovum
oocytes in first meiotic prophase during differentiation of mammalian ovary, 97–99

Ovum (*continued*)
oogonia and premeiotic DNA synthesis during differentiation of mammalian ovary, 95–97

P

Pain
adaptive pain suppression, 1091–1120
Pancreatic β-cells: *see* Islands of Langerhans
Paramecium
mutants affecting ion channels, 321–323
calcium-channel mutants—*pawn* mutants, 321–322
dancer mutant, 322–323
microinjection of cytoplasm rescues *pawn* mutants, 322
potassium-channel mutants, 323
other mutants affecting membrane excitability, 323–324
Parasympathomimetics
electrophysiological effects on islands of Langerhans, 904
Parathyroid hormones
action on proximal kidney tubules, 395–403
action on bicarbonate reabsorption, 400–401
action on fluid reabsorption, 399–400
action on phosphate transport, 397–398
general mechanism of PTH action, 395–397
other effects, 401–403
effect on inorganic phosphate reabsorption in renal tubules, 54–58
role in regulation of osteoclast formation, 871–873
role in regulation of proliferation and differentiation of osteoblastic cells, 876–877
Peptides
in pineal body of mammals, 591–595
anterior pituitary hormones, 593
neurohormones, neurophysins, and other small peptides, 591–593
unknown (peptidelike) components, 593–595
neuropeptide functions, effects of adrenal steroids on, 1156–1159
neuropeptide regulation of glucocorticoid receptors, 1143–1144
neuropeptides and stress-induced analgesia, 1099–1103
Peripheral nerves
cholecystokinin localization in, 179–180
Phosphates, inorganic
sodium-phosphate cotransport in kidney, regulation of, 45–53
adaptation, 52–53
allosteric regulation by sodium and protons, 46–49
covalent modifications, 50–51
transcellular transport in kidney, membrane mechanisms involved in, 38–45
functional coupling between apical entry and basolateral exit of phosphate, 44–45
phosphate transport in basolateral membrane, 42–44
sodium-phosphate cotransport in brush-border membrane, 39–42
transcellular transport in kidney, reconstruction of individual events in regulation of, 53–63
acid-base status, 58–61
dietary effects, 61–62
other hormones, 62–63
parathyroid hormone, 54–58
transport by proximal kidney tubules, 391
action of glucocorticoids on, 404–405
action of parathyroid hormone on, 397–398
transport in kidney, cellular mechanisms of, 36–70
localization in tubules, 37
phosphate concentrations in different compartments, 37–38
Phosphoinositides
metabolism in pars distalis cells of anterior pituitary, effects of TRH on, 917–918
Phospholipids
metabolism in kidney, 487
Phosphoproteins
in brain, effects of adrenal steroids on, 1156
Pineal body
indoles in, 582–585
melatonin and gonadal growth under different environmental conditions, 582–585
regulation of indole metabolism, 585–588
peptides and proteins in, 591–595
anterior pituitary hormones, 593
neurohormones, neurophysins, and other small peptides, 591–593

unknown (peptidelike) components, 593–595
physiological aspects in mammals, 581–605
function in relation to neoplastic growth and other diseases, 595–597
pteridines in, 588–591
influence of synthetic pteridines on indole metabolism of pineal body, 590–591
isolation and identification, 588–590

Pituitary-adrenal system
function of, feedback regulation by adrenal steroids, 1162–1164

Pituitary gland, anterior
pars distalis cells, electrophysiology of, 906–922
action mechanism of TRH on, 913–918
AtT-20/D16 cells, 919
cells derived from normal animals, 920–922
GH_3 and GH_4 cells of rat pituitary, 907–918
human cells derived from pituitary adenomas, 919–920
synthesis and release of hormone, 912–913
pars intermedia cells, electrophysiology of, 924–928
effects of α-aminobutyric acid on, 927
effects of dopamine on, 926
effects of hypophysiotrophic substances on, 926–928
effects of serotonin on, 927–928
ionic mechanism of action potential, 924–925
relation to MSH secretion, 926
spontaneous discharge, 925
pars tuberalis cells, electrophysiology of, 922–924

Pituitary hormones, anterior
see also MSH
in pineal body of mammals, 593

Pituitary neoplasms
human pituitary adenoma cells, electrophysiology of, 919–920

Potassium
active Na^+-K^+ transport in skeletal muscle, regulation of, 542–580
effects of aldosterone on, 571–572
effects of catecholamines on, 565–567
effects of insulin on, 557–559
effects of thyroid hormones on, 554–556
rate in relation to concentration of Na^+-K^+-ATPase, 547–548
regulatory significance of catecholamines, 570–571
regulatory significance of insulin, 563–565
regulatory significance of thyroid hormones, 556–557
depletion in skeletal muscle, effects on concentration of Na^+-K^+-ATPase, 552–554
K^+ distribution in skeletal muscle, effects of aldosterone on, 571–572
K^+ distribution in skeletal muscle, effects of catecholamines on, 565–567
K^+ distribution in skeletal muscle, effects of insulin on, 557–559
K^+ distribution in skeletal muscle, effects of thyroid hormones on, 554–556
transport in kidney collecting tubules, 433–435
effect of aldosterone on, 438–441
mechanism of aldosterone action on, 441–445

Potassium channels: *see* Ion channels

Prodynorphin: *see* Endorphins

Prostaglandins
role in regulation of proliferation and differentiation of osteoblastic cells, 878–879

Proteins
see also Glycoproteins; Muscle proteins; Phosphoproteins
in pineal body of mammals, 591–595
anterior pituitary hormones, 593
neurohormones, neurophysins, and other small peptides, 591–593
unknown (peptidelike) components, 593–595
synthesis induction, mechanism for action of hormones on kidneys, 386–388
synthesis of, effects of adrenal steroids on, 1147

Pteridines
in pineal body of mammals, 588–591
influence of synthetic pteridines on indole metabolism of pineal body, 590–591
isolation and identification, 588–590

Pulmonary alveoli
alveolar pressure, impedance and, 617–618

Pulmonary artery
impedance and right ventricular function, 606–652
impedance of, 607–625
general aspects, 607–611
impedance and alveolar pressure, 617–618
impedance and hydraulic power, 620–623
impedance and vascular smooth muscle, 613–617
impedance in pathological lung conditions, 618–620
in various species, 611–613
is impedance optimized? 623–625
Pulmonary circulation
arterial impedance and alveolar pressure, 617–618
right ventricle and pulmonary bed as functional unit, 639–648
consequences of matching for characteristics of right ventricle as pump, 646–648
matching between right ventricle and pulmonary arterial bed, 642–646
pressure and flow contours of right ventricle vs. load impedance, 639–642

R

Radioimmunoassay
in study of anti-Müllerian hormone, 1045–1047
Receptors, β-adrenergic
coupling to adenylate cyclase, 819–854
association between functional units, 826–827
β_1- and β_2-subtypes, 824
chemical features of β-adrenoceptor, 824–826
desensitization and downregulation of β-adrenergic receptors, 845–849
early and current binding experiments, 822–826
future studies, 850
hormonal stimulation of adenylate cyclase, 827–840
interaction of β-adrenergic receptors with G_i, 840–844
role of membrane matrix and lateral mobility, 844–845
Receptors, antigen, T-cell
nature of, progress in studies on, 695–700
Receptors, glucocorticoid
see also Glucocorticoids
location, function, and regulation of, 1121–1128
adrenal steroid actions on neuroendocrine function and behavior, 1162–1174
binding in vitro to soluble receptor sites, 1125–1130
changes in hippocampus corticosterone receptor capacity by lesions and neurotransmitters, 1144–1145
corticosteroid-binding globulinlike binders, 1131–1134
functional significance of receptor heterogeneity for adrenal steroids, 1134–1135
neuroanatomical localization of receptors, 1135–1137
neurochemical and cellular actions of adrenal steroids, 1146–1162
regulation by adrenal steroids, 1141–1143
regulation by neuropeptides, 1143–1144
regulation of receptor system, 1137–1146
topography of cytosolic glucocorticoid and corticosterone-preferring receptors, 1130–1131
uptake of radiolabeled adrenal steroids by brain, 1123–1125
receptor number changes during life span, 1138–1141
brain mechanisms in maturation of negative feedback, 1139–1140
influences of social setting on receptor levels, 1140
perinatal maturation in brain, 1138–1139
perinatal maturation of pituitary CBG, 1139
receptor changes with senescence, 1140–1141
Relative humidity
in respiratory system, 349–362
historical review of studies on, 351–355
measurement of water vapor in air: general features, 349–350
recent studies and current views, 355–362
Respiration
central respiratory drive, relevance of CSF acid-base balance to, 1024–1026
Respiratory system
airways, factors determining hygroscopic aerosol deposition in, 330–376
deposition of stable particles, 333–336

hygroscopic particle deposition: general considerations, 336–339
modern studies and models of hygroscopic particle deposition, 362–370
role of temperature and relative humidity in respiratory system, 349–362
temperature and relative humidity conditions in, 349–362
historical review of studies on, 351–355
measurement of water vapor in air: general features, 349–350
recent studies and current views, 355–362

Right heart: *see* Heart ventricle, right

RNA
synthesis of, effects of adrenal steroids on, 1147

RNA, messenger
muscle protein gene expression at level of, 746–747

S

Saccades
control in primates, role of superior colliculus, 118–171
anatomical organization of superior colliculus, 120–127
attention hypothesis, 150–155
current models of saccadic system and possible roles of superior colliculus, 161–164
foveation hypothesis, 148–150
functional organization of superior colliculus in relation to motor activity, 156–161
lesion studies, 143–147
motor role of superior colliculus, 139–143
sensory responses in deeper layers of superior colliculus, 130–136
sensory responses in superficial layers of superior colliculus, 127–130
status of existing hypotheses of superior colliculus function, 148–156

Seizures
susceptibility to, effects of glucocorticoids on, 1173–1174

Sensory neurons: *see* Neurons, afferent

Serotonin
neurotransmitter action of, effects of adrenal steroids on, 1148–1150
role in mediation of stress-induced analgesia, 1104

Sertoli cells
cultures producing anti-Müllerian hormone, 1053–1055
functions and role in sexual differentiation in mammals, 88–90
origin of anti-Müllerian hormone, 1047–1050

Sex characteristics
inflexible mammalian sex, 72–75
dominant sex, 73–75
experimental sex reversal in other vertebrates, 72–73
natural sex reversal in other vertebrates, 72

Sex differentiation
differentiation of ovary in mammals, 92–102
early hormone-producing ovary cells, 101–102
formation of follicles, 100–101
oocytes in first meiotic prophase, 97–99
oogonia and premeiotic DNA synthesis, 95–97
recognition of developing ovary, 93–95
regulation of initiation of meiosis: influence of mesonephric tissue, 99–100
differentiation of testis in mammals, 82–92
differentiation of Leydig cells, 90–92
formation of testicular cords, 83–85
importance of escaping mesonephric influence, 92
prespermatogonia and early regulation of meiosis, 85–88
Sertoli cells, 88–90

Sex hormones
early hormone-producing ovary cells in developing mammalian ovary, 101–102

Sex reversal, gonadal
experimental reversal in vertebrates, 72–73
natural reversal in vertebrates, 72

SIA: *see* Analgesia, stress-induced

Skin
sensitivity to specified thermal inputs, 253–256

Sodium
active Na^+-K^+ transport in skeletal muscle, regulation of, 542–580
effects of catecholamines on, 565–567
effects of insulin on, 557–559
effects of thyroid hormones on, 554–556
rate in relation to concentration of Na^+-K^+-ATPase, 547–548

Sodium (*continued*)
regulatory significance of catecholamines, 570–571
regulatory significance of insulin, 563–565
regulatory significance of thyroid hormones, 556–557
Na^+-K^+ cotransport in kidney, regulation of, 39–42, 45–53
adaptation, 52–53
allosteric regulation by sodium and protons, 46–49
covalent modifications, 50–51
in brush-border membrane, 39–42
Na^+-K^+ distribution in skeletal muscle, effects of aldosterone on, 571–572
Na^+-K^+ distribution in skeletal muscle, effects of catecholamines on, 565–567
Na^+-K^+ distribution in skeletal muscle, effects of insulin on, 557–559
Na^+-K^+ distribution in skeletal muscle, effects of thyroid hormones on, 554–556
transport in kidney collecting tubules, 433–435
effect of aldosterone on, 438–441
mechanism of aldosterone action on, 441–445
Sodium channels: *see* Ion channels
Sodium chloride
salt appetite, effects of adrenal steroids on, 1166
Sodium, potassium ATPase: *see* Adenosine triphosphatase, sodium, potassium
Somatostatin
electrophysiological effects on islands of Langerhans, 906
Species specificity
of contractile proteins in cardiac and skeletal muscle, 722–724
pulmonary arterial impedance, 611–613
species differences in renal substrate metabolism, 475, 481–483, 486, 489–490
carbohydrates, 475
fatty acids and triacylglycerols, 486
gluconeogenesis, 481–483
ketone bodies, 489–490
species differences in structure of testicular anti-Müllerian hormone, 1067–1068
Spermatozoa
prespermatogonia and early regulation of meiosis during testicular differentiation, 85–88
Spinal cord
neuronal thermoresponsiveness of, 276–277
processing of information from peripheral temperature sensors, 267–269
sensitivity to specified thermal inputs, 250–251
Steroids
hormone production by gonads in mammalian fetuses, 102–104
production by ovary, 103–104
production by testis, 102–103
Steroids, adrenal: *see* Adrenal cortex hormones
Stress-induced analgesia: *see* Analgesia, stress-induced
Sugars: *see* Carbohydrates
Superior colliculus
anatomic organization in primates, 120–127
ascending projections from deep layers, 124
descending projections from deep layers, 124–125
efferent projections from superficial layers, 123–124
general organization, 120
intrinsic organization, 125–127
puffs and patches, 126–127
superficial-to-deep communication, 125–126
tectal afferents in deep layers, 122–123
tectal afferents in superficial layers, 120–121
tectal efferents, 123–125
function in saccadic eye movements in primates, status of existing hypotheses of, 148–156
attention hypothesis, 150–155
foveation hypothesis, 148–150
functional organization in relation to motor activity in saccadic eye movements, 156–161
experimental evidence, 157–161
general considerations, 156–157
motor-error hypothesis, 161
lesion studies of saccadic eye movements in primates, 143–147
early studies, 143–144
effects of combined cortical and collicular lesions, 145–146
parallel circuits for control of saccades, 146–147
recent studies, 144–145
motor role in saccadic eye movements in primates, 139–143

motor map of saccades, 139–140
other motor maps, 141–142
possible roles in saccadic eye movements, current models of saccadic system, 161–164
sensory responses to saccadic eye movements in primates, 127–138
deeper layers, 130–136
superficial layers, 127–130
Suppressor cells
suppressor activity of (T,G)-A—L-specific R-11 suppressor hybridoma, 690–691
suppressor antigen-specific T-cell replacing factors, properties of, 691–693
suppressor T-cell hybridomas, 656–666
hybridomas secreting antigen-specific suppressor factor for antibody production response, 656–662
hybridomas secreting antigen-specific suppressor factors for DTH reactions, 662–666
non-antigen-specific suppressor T-cell hybridomas that affect antibody production response, 666
suppressor T-cell lines, 683–685
Sympathomimetics
electrophysiological effects on islands of Langerhans, 905–906

T

Temperature
in respiratory system, 349–362
historical review of studies on, 351–355
recent studies and current views, 355–362
Testis
see also Leydig cells
anti-Müllerian hormone in, antagonists of, 1076–1077
anti-Müllerian hormone in, purification of, 1060–1064
anti-Müllerian hormone in, structure of, 1065–1068
polymers and microheterogeneity, 1065–1066
species differences, 1067–1068
sugar and amino acid composition, 1066–1067
development and descent of, effects of anti-Müllerian hormone on 1083–1084
differentiation in mammals, 82–92
differentiation of Leydig cells, 90–92
formation of testicular cords, 83–85
importance of escaping mesonephric influence, 92
prespermatogonia and early regulation of meiosis, 85–88
Sertoli cells, 88–90
hormone production in mammalian fetus, 102–103
production of anti-Müllerian hormone, ontogeny of, 1050–1053
after birth, 1052–1053
during fetal life, 1051–1052
initiation of AMH secretion, 1050–1051
mechanisms responsible for waning AMH production, 1053
Thermoreceptors
effector sensitivities to specified thermal inputs, 247–259
hypothalamus, 247–250
other brain stem sections and whole head, 251–252
skin, 253–256
spinal cord, 250–251
total body thermosensitivity, 256–259
effector thermosensitivities, evaluation of, 243–247
assessment according to proportional-control concept, 246–247
assessment from steady-state conditions, 244–246
peripheral temperature sensors, processing of information from, 266–272
processing at spinal level and in analogous brain stem structures, 267–269
temperature signal processing in brain stem nuclei, 269–272
temperature sensors, modalities and characteristics of, 283–284
thermoreceptive temperature transduction, mechanisms of, 263–266
thermoregulatory effectors, sensory and nonsensory components in thermal control of, 284–287
total-body thermosensitivity in relation to local thermosensitivities, 259–261
Thermoregulation: *see* Body temperature regulation
Thyroid hormones
effects on proximal kidney tubules, 407–409
effects on skeletal muscle, 554–557
effects on Na^+-K^+-ATPase concentration, 554

Thyroid hormones (*continued*)
effects on Na^+-K^+ distribution, Na^+-K^+ transport, and membrane potential, 554–556
regulatory significance, 556–557
Thyrotropin-releasing hormone
mechanism of action on pars distalis cells of pituitary gland, 913–918
cytosolic Ca^{2+} concentration, 915–916
membrane electrical properties, 913–914
metabolism of phosphoinositides, 917–918
Transcortin
corticosteroid-binding globulinlike binders and adrenal steroid receptors in brain, 1131–1134
pituitary CBG, perinatal maturation in binding sites, 1139
TRH: *see* Thyrotropin-releasing hormone
Triglycerides
metabolism in kidney, 483–486
intrarenal distribution, 484–485
pathways and intracellular compartmentation, 483–484
regulation, 485–486
species differences and developmental aspects, 486

V

Vasopressin
antidiuretic action on kidney collecting tubules, modulation of, 449–452
effects in microperfused mouse thick ascending limbs, cAMP mediation of, 420–422
physiological action on kidney collecting tubules, 446–447
role in mediation of stress-induced analgesia, 1103
Vertebrates
see also Mammals
experimental sex reversal in, 72–73
natural sex reversal in, 72
Visual pathways
foveation hypothesis of superior colliculus function in saccadic eye movements, 148–150
sensory signals controlling saccadic eye movements in primates, role of superior colliculus, 118–171
anatomical organization of superior colliculus, 120–127
responses in deeper layers of superior colliculus, 130–136
responses in superficial layers of superior colliculus, 127–130